## SEQUENCE LISTING

| <110>                     | D.M. Kisch, Inc Horn, Charles Kistner, Albrecht Greyling, Brend Alexandra, Smith |    |
|---------------------------|--|----|
| <120>                     | Megasphaera Elsdenii Strain And Its Uses   |    |
| <130>                     | 05-037   |    |
|                           | 10/521,847<br>2005-01-18   |    |
| <160>                     | 10   |    |
| <170>                     | PatentIn version 3.3   |    |
| <210><211><211><212><213> | 17   |    |
| <220>                     |  |    |
| <223>                     | Primers used to amplify and sequence the 16S rRNA gene.                          |    |
|                           | 1<br>gtac aaggeee  | 17 |
| <220>                     | 19<br>DNA<br>Artificial Sequence   |    |
| <400>                     | Primers used to amplify and sequence the 16S rRNA gene.  2 cccc gccttcctc        | 19 |
| <210><211><212><212><213> | 3<br>17<br>DNA<br>Artificial Sequence  |    |
| <220><br><223>            | Primers used to amplify and sequence the 16S rRNA gene.                          |    |
| <400><br>cgatta           | 3<br>ctag cgattcc  | 17 |
| <210><br><211>            | 4<br>15  |    |

|                         | <212><br><213> | DNA<br>Artificial Sequence                              |    |  |
|-------------------------|----------------|---|----|--|
|                         | <220><br><223> | Primers used to amplify and sequence the 16S rRNA gene. |    |  |
|                         |                | 4<br>caaa ccaca   | 15 |  |
|                         | _              |   |    |  |
|                         | <210><br><211> |   |    |  |
|                         | <212>          |   |    |  |
|                         |                | Artificial Sequence                                     |    |  |
|                         | <220><br><223> | Primers used to amplify and sequence the 16S rRNA gene. |    |  |
|                         | <400>          | 5   | 17 |  |
|                         | CLacca         | gggt atctaat  | 1, |  |
|                         | <210>          | 6   |    |  |
|                         | <211><br><212> |   |    |  |
|                         |                | Artificial Sequence                                     |    |  |
|                         | <220>          |   |    |  |
|                         | <223>          | Primers used to amplify and sequence the 16S rRNA gene. |    |  |
|                         | <400>          |   | 17 |  |
|                         | etgetg         | cctc ccgtagg  | Ι, |  |
|                         | <210>          | 7   |    |  |
|                         | <211>          |   |    |  |
|                         | <212><br><213> | Artificial Sequence                                     |    |  |
|                         | <220>          |   |    |  |
|                         | <223>          | Primers used to amplify and sequence the 16S rRNA gene. |    |  |
|                         | <400>          |   | 10 |  |
| agagtttgat cctggctca 19 |                |   |    |  |
|                         | <210>          | 8   |    |  |
|                         | <211>          |   |    |  |
|                         | <212>          | DNA<br>Artificial Sequence                              |    |  |
|                         |                |   |    |  |
|                         | <220><br><223> | Primers used to amplify and sequence the 16S rRNA gene. |    |  |
|                         | <400>          | 8   |    |  |
|                         |                | gcta gtaatcg  | 17 |  |

| <210>  | 9   |    |
|--------|---|----|
| <211>  | 17  |    |
| <212>  | DNA   |    |
| <213>  | Artificial Sequence                                     |    |
| <220>  |   |    |
| <223>  | Primers used to amplify and sequence the 16S rRNA gene. |    |
| <400>  | 9   |    |
| cctacg | ggag gcagcag  | 17 |
|        |   |    |
| <210>  | 10  |    |
| <211>  | 15  |    |
| <212>  | DNA   |    |
| <213>  | Artificial Sequence                                     |    |
| <220>  |   |    |
| <223>  | Primers used to amplify and sequence the 16S rRNA gene. |    |
| <400>  | 10  |    |
| tgtggt | ttaa ttcga  | 15 |
|        |   |    |